


# FTCB Flat Braid in Coil, Tinned Copper



Material: Copper  
 Finish: Tinned  
 Wire Diameter: 0.15 mm



Part Number	Article Number	Nominal Current	Cross Section	Number of Wires	Length	Thickness	Width	Unit Weight
FTCB15-3	557200	30 A	3 mm <sup>2</sup>	168	25 m	1.0 mm	5 mm	0.03 kg
FTCB15-5	557210	45 A	5 mm <sup>2</sup>	288	25 m	1.0 mm	8 mm	0.05 kg
FTCB20-5	503510	45 A	5 mm <sup>2</sup>	288	500 m	1.0 mm	8 mm	0.05 kg
FTCB15-8	557220	65 A	8 mm <sup>2</sup>	456	25 m	1.5 mm	8 mm	0.08 kg
FTCB15-10	557230	75 A	10 mm <sup>2</sup>	576	25 m	1.5 mm	10 mm	0.10 kg
FTCB20-10	503520	75 A	10 mm <sup>2</sup>	576	150 m	1.5 mm	10 mm	0.10 kg
FTCB15-16	557240	120 A	16 mm <sup>2</sup>	896	25 m	1.5 mm	15 mm	0.16 kg
FTCB20-16	503530	120 A	16 mm <sup>2</sup>	896	150 m	2.0 mm	15 mm	0.16 kg
FTCB15-20	557250	140 A	20 mm <sup>2</sup>	1,120	25 m	1.5 mm	20 mm	0.20 kg
FTCB15-25	557260	150 A	25 mm <sup>2</sup>	1,404	25 m	1.5 mm	22 mm	0.25 kg
FTCB20-25	503540	150 A	25 mm <sup>2</sup>	1,404	100 m	1.5 mm	22 mm	0.25 kg
FTCB15-30	557270	180 A	30 mm <sup>2</sup>	1,692	25 m	2.0 mm	23 mm	0.30 kg
FTCB15-35	557280	200 A	35 mm <sup>2</sup>	1,980	25 m	2.5 mm	23 mm	0.35 kg
FTCB15-40	557290	220 A	40 mm <sup>2</sup>	2,272	25 m	2.5 mm	25 mm	0.40 kg
FTCB15-50	557300	250 A	50 mm <sup>2</sup>	2,848	25 m	3.0 mm	28 mm	0.50 kg
FTCB15-60	557310	280 A	60 mm <sup>2</sup>	3,392	25 m	3.0 mm	30 mm	0.60 kg
FTCB15-70	557320	290 A	70 mm <sup>2</sup>	3,968	25 m	3.5 mm	30 mm	0.70 kg
FTCB15-75	557330	300 A	75 mm <sup>2</sup>	4,256	25 m	4.0 mm	30 mm	0.75 kg
FTCB15-100	557350	360 A	100 mm <sup>2</sup>	5,664	25 m	4.0 mm	40 mm	1.00 kg

Unit weight is per meter [3.28].

UL, UR, cUL, cUR, cULus and cURus are registered certification marks of UL LLC.

#### WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.erico.com](http://www.erico.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

© 2019 nVent All rights reserved

nVent, nVent CADDY, nVent ERICO, nVent ERIFLEX and nVent LENTON are owned by nVent or its global affiliates.

All other trademarks are the property of their respective owners. nVent reserves the right to change specifications without prior notice.